



# FISHER

**MANUFACTURING COMPANY**

Commercial Faucets Since 1936

## **LEED Q & A**

*Leadership in Energy and Environmental Design*

### **What is LEED?**

LEED is an internationally recognized green building certification system developed by the U.S. Green Building Council. LEED provides a set of standards that designers, owners, and operators can use to identify and measure green building.

LEED provides third-party verification that a building or community was designed and built with key factors in mind: Sustainable Sites, Energy Savings, Water Efficiency, Materials & Resources, Indoor Environmental Quality, Locations & Linkages, Awareness & Education,

### **What is LEED Certification?**

LEED certification is based on a 100-point scale based on the key factors mentioned above and applies to green building projects. The points are weighted to reflect their potential impact on the environment. The 100-point scale looks much like you would see on the back of any food product showing nutritional values. Architects, contractors, and owners apply for LEED certification and must first meet a minimum requirement to achieve a "Certified" level. The levels of LEED certification start at Certified and move up through Silver, Gold, and Platinum levels.

Products and services themselves are NOT LEED certified, it is the green project/ building as a whole that is LEED certified. The individual products and services do contribute to the points and overall rating of the green project. According to the USGBC, LEED certified buildings cost less to operate and maintain, are healthier places to live and work, and conserve our natural resources (see usgbc.org for more information).

### **What LEED Categories can Fisher products qualify for?**

**Water Efficiency**-the goal of water efficiency is to encourage smarter water use (see usgbc.org for more information). Fisher items that fall under this category are Ultra™ Spray Valve Pre-Rinse Units, and Faucets with 0.5 to 2.2 GPM aerators.

**Materials and Resources**-encourages the selection of sustainably grown, harvested, produced, and transported materials. It promotes waste reduction as well as reusing and recycling (see usgbc.org for more information). Fisher falls under this category because of Fisher's 100% commitment to sustainability and 100% recyclability of its products.

*All Information gathered can be found at [www.usgbc.org](http://www.usgbc.org)*

For LEED Water Efficiency Credits

## Spec the right spout.

<b>Pick Your Brass Spout</b>	<b>0.5 GPM</b>	<b>1.0 GPM</b>	<b>1.5 GPM</b>
6" Swing Spout	14036	14214	16675
8" Swing Spout	14060	14257	16691
10" Swing Spout	14079	14273	16705
12" Swing Spout	14117	14303	16799
14" Swing Spout	14125	14354	16829
16" Swing Spout	14133	14397	16845
11" Control Spout	14141	14397	16713
6" Swivel Gooseneck Spout	14168	14435	16659
12" Swivel Gooseneck Spout	14184	14494	16756

<b>Pick Your Stainless Steel Spout</b>	<b>0.5 GPM</b>	<b>1.0 GPM</b>	<b>1.5 GPM</b>
6" Swing Spout	15563	15628	16861
8" Swing Spout	15687	15695	16888
10" Swing Spout	15741	15768	16896
12" Swing Spout	15822	15911	16934
14" Swing Spout	16098	16136	16942
16" Swing Spout	16209	16217	16950
12" Control Spout	16314	16330	16918
6" Gooseneck Spout	16381	16403	16853
12" Gooseneck Spout	16462	16470	16926

Pick your spout in brass or stainless steel. Then pick the correct body for your specific application, in brass or stainless steel.

Example: Fisher 14303 with 13153 which is a brass 12" swing spout with brass 8" backsplash mount faucet body.

<b>Pick Your Faucet Body</b>	<b>Brass</b>	<b>Stainless Steel</b>
Single Deck Dual Control	13064	63592
8" Adjustable Wall Mount	3200	61565
8" Backsplash Mount	13153	61549
4" Backsplash Mount	3600	62839
8" Deck Mount	3300	67385
4" Deck Mount	3500	67423
Pre-Rinse Add-on Faucet	2901-0000	38318



For LEED Water Efficiency Credits

## Spec the right Ultra- Spray™ Valve


### Water-Saving Ultra™ Spray Valve

Provides powerful performance while only using 0.69 GPM @ 60 PSI

Pick your Ultra-Spray™ Valve	Brass	Stainless Steel
Ultra-Spray™ Valve- .69 GPM@80PSI	10197	10197
Ultra-Spray™ Valve- 1.15 GPM@80PSI	2949	71307



Water Conservation Comparison-  
Industry Standard to Fisher Ultra-Spray™ Valves



Assumptions- 3 hours a day, 7 days a week, 52 weeks a year.





# FISHER

**MANUFACTURING COMPANY**

Commercial Faucets Since 1936

*An Industry Leader since 1936*

*Offering a wide range of high quality commercial foodservice and plumbing products*

*For more information about Fisher and/or LEEDs please contact us at:  
1-800-421-6162 or visit us online at [www.fisher-mfg.com](http://www.fisher-mfg.com)*