



The Fundamentals of Foodservice Equipment





Patented heated glass technology offers double the holding capacity with Glo-Ray® Model GRHW-1SGD Mini-Merchandiser with *Designer* color, breath protector, and accessory sign holder (sign not included)



Designer Glo-Ray Model GR2SDS-30D Slanted Shelf Merchandiser with *Designer* color inset panels



High Marks in Self-Service!

Hatco has a complete range of hot food merchandisers that enable students to serve themselves a choice of quality and nutritious cuisine.

Hatco Merchandising Warmers hold food safely at peak serving temperatures longer while minimizing the risk of food-borne illness. And where personnel shortage is a concern, the self-serve concept can improve the bottom line.

Choose from an array of shapes, sizes, and options to fit all serving locations from buffet lines, to mobile food carts, and snack bars to concession stands. Hatco Display Warmers are available in *Designer* colors to compliment any décor.

With equipment built for high performance, long-lasting durability, and safety, Hatco offers A+ solutions.



Designer Glo-Ray Model GR2S-30 Heated Shelf with *Designer* color inset panels and accessory pizza pans



Designer Glo-Ray Model GR2SDH-30 Merchandiser with *Designer* color inset panels



Glo-Ray Model GRSDS/H-36DHW Merchandiser with high wattage on the horizontal top shelf for fries and onion rings and standard wattage on the slanted bottom shelf for wrapped or boxed food



Glo-Ray Model GRSDH-36 Horizontal Single Shelf Merchandiser

Glo-Ray Model GRSBF-72-I Built-in Flush Heated Shelf



Designer Glo-Ray Model GR2BW-30 Buffet Warmer in optional *Designer* Black with accessory food pans



Glo-Ray® Model GRBW-30 Warmer with accessory front and side enclosures and sign holder (sign not included)



Glo-Ray Model GRAHL-36 Foodwarmer with optional breath protectors and accessory tubular stands above Glo-Ray Model GRSB-30-I Built-in Heated Shelf





Flav-R-Savor®
Model WFST-2X Large
Capacity Merchandising
Cabinet with optional
Designer color, self-
closing sliding doors, and
accessory sheet pans



Flav-R-Savor Model FSDT-1X
Humidified Display Cabinet with 4-tier
pan rack and optional *Designer* colors,
accessory decals, and food pans



Flav-R-Savor Model FSDT-1
Humidified Holding Cabinet with
4-tier circle rack, accessory
decals, and food pans



Flav-R-Fresh® Model FDW-1X
Display Cabinet with stationary
4-shelf multi-purpose rack



Flav-R-Fresh Model FDW-1-MN
Macho Nacho™ Chip Warmer




It's Purely Academic.

Students will want to eat nutritiously when food looks appealing. Nothing keeps fare hot, fresh, and enticing like Hatco Holding and Display Cabinets and Cases. Items can be prepared ahead of time and kept fresh for hours using a combination of *heat* and *humidity*, which is uniformly distributed throughout the cabinets.

Scholastic foodservice responds to popular and social trends as well as nutritional demands. And the basic principle when adding food safety to the "show and sell" equation is Hatco Display Cases.

When it comes to placing the focus on your product, Hatco has done the homework.





Glo-Ray® Model GRCD-2P Heated Display Case with optional *Designer* color, backlit base (graphics not included), and accessory food pans




Glo-Ray Model GRCDH-3PD Humidified Heated Display Case with pan skirt, optional *Designer* color, and accessory food pans



Glo-Ray Model GRHD-3PD Heated Display Case with optional mirrored glass doors and accessory food pans



Ultra-Glo™ Model UGAHL-60D
Ceramic Dual Foodwarmer
with optional Gleaming Gold
finish and lights (Remote
Control Box required)



Glo-Ray Model GRAH-30 Foodwarmer
with optional *Designer* color, infinite
switch, and accessory C-Leg stand
over Glo-Ray Model GRS-24-I Heated
Shelf in optional *Designer* color with
accessory food pans



Designer Glo-Ray® Model
GR2AH-24D Foodwarmer with
optional breath protectors





Glo-Ray® Model GRFHS-21
Fry Holding Station with accessory
7 pleat hardcoated fry bag ribbon



The Equation for Success.

There's a reason why smart scholastic facilities use Hatco. Combined front- and back-of-the-house solutions guarantee customer satisfaction, optimum food safety, and quality. Product is displayed and held at proper serving temperatures with Glo-Ray Foodwarmers. Even the most delicate foods retain an appetizing appearance without drying or discoloring. From prep areas to serving points and buffet lines, Glo-Ray foodwarmers are adaptable to any location and configuration.



Imperial Booster Heater
Model S-54 for sanitizing
hot water




Atmospheric Hot Water Dispenser
Model AWD-12 offers pre-measured
hot water on demand for beverages,
sauces, soups, gravy, cereals, rice,
pasta, potatoes, gelatin, and more

Behind the scenes Hatco offers gas and electric Booster Water Heaters for 180°F (82°C) sanitizing hot water and long life dependability. The Atmospheric Water Dispenser delivers pre-measured amounts of hot water at the simple push of a button. And Hydro-Heater Food Rethernalizers and Sanitizing Sink Heaters offer additional capabilities in the kitchen.



Hydro-Heater Food Rethernalizer
Model FR2-6 for reconstituting
frozen foods

For maximum flavor, safety, and convenience, it all adds up to Hatco.





At the Head of the Class.

For morning rush, lunchtime crunch, or evening classes and activities, Hatco Drawer Warmers, Holding Cabinets, and Toasters keep up with any size crowd. From freestanding models to built-in, standard or narrow widths, Hatco Drawer Warmers are perfect for kitchens, buffet lines, and stadiums. Ideal for catering or peak serving periods, the Hatco Flav-R-Savor® Holding Cabinets provide additional storage with thermostatically-controlled heat and humidity. Also, a range of Conveyor Toasters can handle from 300 slices up to 1500 slices an hour, toasting bread, buns, bagels, English muffins... even frozen waffles.

All Hatco products are built for outstanding dependability and functionality, delivering the highest quality and tastiest results. Designed to minimize energy consumption and maximize ease of use, Hatco offers the widest range of options and accessories to ensure the ideal solution for your facility.


When it comes to overachieving, Hatco maintains a high degree of dedication.



Drawer Warmer Model HDW-3 with optional casters



Drawer Warmer Model HDW-1R2 Split Drawer Warmer



Toast-Qwik® Model TQ-800
Conveyor Toaster with patent
pending colorguard sensing
system, electronic controls,
and power save mode




Toast King® Model TK-135B
Conveyor Toaster



Flav-R-Savor® Model FSHC-6W1
Portable Holding Cabinet built to
fit under lower work counters



Flav-R-Savor Model FSHC-1
Portable Holding Cabinet with
accessory food pans



Product Specifications

<p>GR2SDS-30D</p> <p>Model Volts Watts Amps Ship. Wt. GR2SDS-30D 120 1640 13.7 174 lbs. (79 kg)</p>	<p>GR2SDH-30</p> <p>Model Volts Watts Amps Ship. Wt. GR2SDH-30 120 845 7.0 102 lbs. (46 kg)</p>	<p>GRSDS/H-36DHW</p> <p>Model Volts Watts Amps Ship. Wt. GRSDS/H-36DHW 120/208 2910 16.4 158 lbs. (72 kg)</p>
<p>GRSDH-36</p> <p>Model Volts Watts Amps Ship. Wt. GRSDH-36 120 1170 9.8 66 lbs. (30 kg)</p>	<p>GRHW-1SGD</p> <p>Model Volts Watts Amps Ship. Wt. GRHW-1SGD 120 1690 14.1 48 lbs. (22 kg)</p>	<p>GR2S-30</p> <p>Model Volts Watts Amps Ship. Wt. GR2S-30 120 450 3.8 39 lbs. (18 kg)</p>
<p>GRSBF-72-I</p> <p>Model Volts Watts Amps Ship. Wt. GRSBF-72-I 120 1440 12.0 58 lbs. (26 kg)</p>	<p>GR2BW-30</p> <p>Model Volts* Watts Amps Ship. Wt. GR2BW-30 120 1230 10.3 85 lbs. (39 kg)</p>	<p>GRBW-30 with Enclosures</p> <p>Model Volts* Watts Amps Ship. Wt. GRBW-30 120 1230 10.3 52 lbs. (24 kg)</p>
<p>GRAHL-36</p> <p>Model Volts* Watts Amps Ship. Wt. GRAHL-36 120 800 6.7 9 lbs. (4 kg)</p>	<p>GRSB-30-I</p> <p>Model Volts Watts Amps Ship. Wt. GRSB-30-I 120 665 5.5 25 lbs. (11 kg)</p>	<p>WFST-2X</p> <p>Model Volts Watts Amps Ship. Wt. WFST-2X 120 1790 14.9 188 lbs. (85 kg)</p>

* Other voltages available, consult factory. See product specification sheets for additional models.

STANDARD PLUG CONFIGURATIONS

Model	120 Volt 60 Hz	
GR2SDS-30D	NEMA 5-15P	
GR2SDH-30	NEMA 5-15P	
GRSDS/H-36DHW	NEMA 14-20P	
GRSDH-36	NEMA 5-15P	
GRHW-1SGD	NEMA 5-15P	
GR2S-30	NEMA 5-15P	
GRSBF-72-I	NEMA 5-15P	
GR2BW-30	NEMA 5-15P	
GRBW-30	NEMA 5-15P	
GRAHL-36	—	
GRSB-30-I	NEMA 5-15P	
WFST-2X	NEMA 5-15P*	

* NEMA 5-20P for Canada



Product Specifications

FSDT-1X 					FSDT-1 					FDW-1X 				
Model	Volts	Watts	Amps	Ship. Wt.	Model	Volts	Watts	Amps	Ship. Wt.	Model	Volts	Watts	Amps	Ship. Wt.
FSDT-1X	120	1470	12.3	118 lbs. (54 kg)	FSDT-1	120	1470	12.3	120 lbs. (54kg)	FDW-1X	120	1470	12.3	82 lbs. (37kg)

FDW-1-MN 					GRCDH-3PD 					GRCD-2P 				
Model	Volts	Watts	Amps	Ship. Wt.	Model	Volts	Watts	Amps	Ship. Wt.	Model	Volts	Watts	Amps	Ship. Wt.
FDW-1-MN	120	1128	9.4	80 lbs. (36 kg)	GRCDH-3PD	120	1960	16.3	222 lbs. (101 kg)	GRCD-2P	120	780	6.5	104 lbs. (47 kg)


GRHD-3PD 					UGAHL-60D 					GR2AH-24D 				
Model	Volts	Watts	Amps	Ship. Wt.	Model	Volts*	Watts	Amps	Ship. Wt.	Model	Volts*	Watts	Amps	Ship. Wt.
GRHD-3PD	120	1755	14.6	200 lbs. (91 kg)	UGAHL-60D	120	5400	45.0	37 lbs. (17 kg)	GR2AH-24D	120	1000	8.3	48 lbs. (22 kg)

GRAH-30 					GRS-24-I 					GRFHS-21 				
Model	Volts*	Watts	Amps	Ship. Wt.	Model	Volts	Watts	Amps	Ship. Wt.	Model	Volts	Watts	Amps	Ship. Wt.
GRAH-30	120	660	5.5	8 lbs. (4 kg)	GRS-24-I	120	350	2.9	20 lbs. (9 kg)	GRFHS-21	120	1200	10.0	86 lbs. (39 kg)

* Other voltages available, consult factory. See product specification sheets for additional models.

STANDARD PLUG CONFIGURATIONS

Model	120 Volt 60 Hz
FSDT-1X	NEMA 5-15P*
FSDT-1	NEMA 5-15P*
FDW-1X	NEMA 5-15P*
FDW-1-MN	NEMA 5-15P
GRCDH-3PD	NEMA 5-20P
GRCD-2P	NEMA 5-15P
GRHD-3PD	NEMA 5-20P
UGAHL-60D	—
GR2AH-24D	—
GRAH-30	NEMA 5-15P
GRS-24-I	NEMA 5-15P
GRFHS-21	NEMA 5-15P



* NEMA 5-20P for Canada



Product Specifications

ADW-12					S-54					FR2-6				
Model	Volts*	Watts	Amps	Ship. Wt.	Model	Volts*	kW	Amps	Ship. Wt.	Model	Volts*	kW	Amps	Ship. Wt.
ADW-12	208	5000	24.0	80 lbs. (36 kg)	S-54	208	54	150	224 lbs. (102 kg)	FR2-6	208	6	28.8	27 lbs. (12 kg)


HDW-1R2					HDW-3					FSHC-6W1				
Model	Volts	Watts	Amps	Ship. Wt.	Model	Volts*	Watts	Amps	Ship. Wt.	Model	Volts	Watts	Amps	Ship. Wt.
HDW-1R2	120	525	4.4	97 lbs. (44 kg)	HDW-3	120	1350	11.3	232 lbs. (105 kg)	FSHC-6W1	120	1697	14.1	125 lbs. (57 kg)

FSHC-1					TQ-800					TK-135B				
Model	Volts	Watts	Amps	Ship. Wt.	Model	Volts*	Watts	Amps	Ship. Wt.	Model	Volts*	Watts	Amps	Ship. Wt.
FSHC-1	120	1725	14.4	168 lbs. (76 kg)	TQ-800	208	3330	16.0	52 lbs. (24 kg)	TK-135B	208	4300	20.7	88 lbs. (40 kg)

* Other voltages available, consult factory. See product specification sheets for additional models.

STANDARD PLUG CONFIGURATIONS

Model	120 Volt 60 Hz	208 Volt 60 Hz
ADW-12	—	NEMA 6-30P
S-54	—	—
FR2-6	—	—
HDW-1R2	NEMA 5-15P	—
HDW-3	NEMA 5-15P	—
FSHC-6W1	NEMA 5-15P*	—
FSHC-1	NEMA 5-15P*	—
TQ-800	—	NEMA 6-20P
TK-135B	—	NEMA 6-30P



* NEMA 5-20P for Canada



Nothing less than the best.™

P.O. Box 340500
 Milwaukee, WI 53234-0500 U.S.A.
 (800) 558-0607 • (414) 671-6350
 Fax: (800) 543-7521 • (414) 671-3976
 www.hatcocorp.com
 E-mail: equipsales@hatcocorp.com



Form No. HSB-1002-1
 Revised March 2004