




ULTRA·GLO

**THE ULTIMATE IN
FOOD HOLDING**



EXTEND YOUR FOOD HEAT ZONE WITH



The Ultimate in Safety and Quality

Ensure maximum flavor, safety, and holding time with the ultimate food holding power – Ultra-Glo™ Ceramic Infrared Foodwarmers. The increased height of this heat source improves operational working clearances, giving the chef and server an improved ergonomic environment in which to work. The food heat zone blankets the entire food holding area, eliminating cold spots. Plus the risk of food-borne illnesses is minimized. These ceramic warmers produce an extremely even amount of heat that does not dry out the food product, helping to retain the internal moisture, thereby improving holding times. Cool-touch wire guards over the emitters help prevent incidental contact. Ultra-Glo models come with a clear anodized finish and are available in optional glossy translucent colors.




UGFFL
with optional Radiant Red finish and lights and accessory fry ribbon



The Ultimate Heat Zone

Ultra-Glo's prefocused heat pattern provides an increased pyramidal dimension, enveloping the food holding area not just side-to-side, but front-to-back. Heat is concentrated at the edges where heat loss is the greatest. Foods are held at optimum serving temperatures longer without continuing to cook the food.



From Ultra-Glo to Glo-Ray® to Infra-Black®, only Hatco offers a warming combinations than anyone in the industry, it's easy to

THE HOTTEST HOLDING TECHNOLOGY!

The Ultimate in Portable Heat


As portable foodwarmers with fixed heights, these Ultra-Glo models are ideal for use next to fry stations, drive-through windows, and service areas that require frequent and easy access. The UGFF model has a specially designed stand to keep food holding pans off the work area, providing an effective insulation to prolong serving times. Model UGFFB has a preset heated base to conduct heat from the bottom, and a chrome pan rail. Both units are available with or without lights and come with a 6' (1829 mm) cord and plug. A selection of accessories including food pans, trivets, and hardcoated fry ribbons offer customization to meet any application.



UGFFBL
with optional Classic
Chrome finish and lights
and accessory food pans



Radiant Red




Gleaming Gold


Optional Translucent Gloss Finishes



Classic Chrome



Brilliant Blue




Bold Black

The Ultimate in Flexibility

With a variety of widths and options, Ultra-Glo Foodwarmers are adaptable to any location and configuration. Back- or front-of-the-house use, open kitchen concepts, or buffet lines, Ultra-Glo is available in continuous single or dual aluminum housings up to 6' (1829 mm), with or without lights, and with attached or remote control box. Angle brackets come standard, non-adjustable tubular stands or hanger legs are optional.



UGAH-18
with optional
Bold Black finish




UGAHL-60D
with optional Gleaming
Gold finish and lights

complete line of superior foodwarmers. With more food see why Hatco is the **ULTIMATE** reliable heatsource.



ULTRA-GLO™ CERAMIC INFRARED FOODWARMERS

Models UGFF, UGFFL, UGFFB, UGFFBL UGAH-18, -24, -30, -36, -42, -48, -54, -60, -66, -72, -18D, -24D, -30D, -36D, -42D, -48D, -54D, -60D, -66D, -72D UGA-18, -24, -30, -36, -42, -48, -54, -60, -66, -72, -18D, -24D, -30D, -36D, -42D, -48D, -54D, -60D, -66D, -72D



SPECIFICATIONS

Model	Watts	Amps	Shipping Weight
UGFF	750	4.2	16 lbs. (7 kg)
UGFFL*	870	5.2	18 lbs. (8 kg)
UGFFB	1000	6.3	26 lbs. (12 kg)
UGFFBL*	1120	7.3	31 lbs. (14 kg)

* "L" added to model number indicates incandescent light.

DIMENSIONS

UGFF: 12 3/8"W x 22 1/4"D x 18 7/8"H (314 x 565 x 479 mm).
 UGFFB: 12"W x 22"D x 22"H (305 x 559 x 559 mm).


VOLTAGE

120 volts, single phase (uses NEMA 5-15P).

CORD LOCATION

UGFF, UGFFL: Back of unit at top.
 UGFFB, UGFFBL: Bottom back.

PLUG CONFIGURATIONS




OPTIONS (NOT FOR RETROFIT)


- Translucent Gloss Finishes: Radiant Red, Gleaming Gold, Classic Chrome, Brilliant Blue, Bold Black

ACCESSORIES

- 5 Pleat Hardcoated Fry Box Ribbon
 8 Pleat Hardcoated Fry Bag Ribbon
 Food Holding Pans
 Wire Trivet



Single Models



Dual Models

SPECIFICATIONS

Single Models

Aluminum High Watt		Aluminum Standard Watt			
Model	Watt*	Model	Watt*	Width	Shipping Weight
UGAH-18	675	UGA-18	490	18" (457 mm)	9 lbs. (4 kg)
UGAH-24	750	UGA-24	675	24" (610 mm)	10 lbs. (5 kg)
UGAH-30	1125	UGA-30	750	30" (762 mm)	11 lbs. (5 kg)
UGAH-36	1350	UGA-36	980	36" (914 mm)	12 lbs. (5 kg)
UGAH-42	1500	UGA-42	1120	42" (1067 mm)	13 lbs. (6 kg)
UGAH-48	2025	UGA-48	1470	48" (1219 mm)	14 lbs. (6 kg)
UGAH-54	2250	UGA-54	1470	54" (1372 mm)	16 lbs. (7 kg)
UGAH-60	2700	UGA-60	1960	60" (1524 mm)	17 lbs. (8 kg)
UGAH-66	2700	UGA-66	1960	66" (1676 mm)	19 lbs. (9 kg)
UGAH-72	3000	UGA-72	1960	72" (1829 mm)	20 lbs. (9 kg)

Dual Models

Aluminum High Watt		Aluminum Standard Watt			
Model	Watt*	Model	Watt*	Width	Shipping Weight
UGAH-18D	1350	UGA-18D	980	18" (457 mm)	17 lbs. (8 kg)
UGAH-24D	1500	UGA-24D	1350	24" (610 mm)	19 lbs. (9 kg)
UGAH-30D	2250	UGA-30D	1500	30" (762 mm)	21 lbs. (10 kg)
UGAH-36D	2700	UGA-36D	1960	36" (914 mm)	24 lbs. (11 kg)
UGAH-42D	3000	UGA-42D	2240	42" (1067 mm)	27 lbs. (12 kg)
UGAH-48D	4050	UGA-48D	2940	48" (1219 mm)	30 lbs. (14 kg)
UGAH-54D	4500	UGA-54D	2940	54" (1372 mm)	33 lbs. (15 kg)
UGAH-60D	5400	UGA-60D	3920	60" (1524 mm)	37 lbs. (17 kg)
UGAH-66D	5400	UGA-66D	3920	66" (1676 mm)	40 lbs. (18 kg)
UGAH-72D	6000	UGA-72D	3920	72" (1829 mm)	44 lbs. (20 kg)

* Based on 208 volts.

DIMENSIONS

Single Models: 18"-72"W x 6"D* x 2 1/2"H (457-1829 x 152 x 64 mm).
 Dual Models: 18"-72"W x 15" or 18"D* x 2 1/2"H (457-1829 x 381 or 457 x 64 mm).

Attached Control Enclosure: 11" or 14"W x 3 7/8"D x 2 1/2"H (279 or 356 x 98 x 64 mm).

Remote Control Box: 11" or 14"W x 3"D x 2 1/2"H (279 or 356 x 76 x 64 mm).

* Add 3" (76 cm) to depth when ordering single model units with lights.

VOLTAGE

120, 208 and 240 volts, single phase.
 Models with Lights: 120, 120/208 and 120/240, single phase.

ULTRA-GLO WARMERS MUST BE MOUNTED AT LEAST 1 1/2" (38 mm) BELOW SHELF.



OPTIONS (NOT FOR RETROFIT)

- Translucent Gloss Finishes: Radiant Red, Gleaming Gold, Classic Chrome, Brilliant Blue, Bold Black
 Remote Control Box

- Incandescent Lights (Adds 3" (76 mm) to depth of single UGAH and UGA models)
 Non-Adjustable Tubular Stands – 14"-24" (356-610 mm)

HATCO CORPORATION P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A. • (800) 558-0607 • (414) 671-6350
 Fax (800) 543-7521 • Int'l. Fax (414) 671-3976 • Web Site: www.hatcocorp.com • E-mail: equipsales@hatcocorp.com